AUTHOR INDEX TO VOLUME 161

Adrian, F.J., see B.F. Kim 161 (1989) 76
Afanasyev, I.V., see V.I. Anisimov 161 (1989) 59
Aihara, M., see H. Nagata 161 (1989) 66
Akinaga, H., K. Takita, H. Asano and K. Masuda, Superconducting properties and their relation with the hole concentration of $La_{1+x}Ba_{1-x}Cu_3O_{7-\delta}$ system 161 (1989) 581
Aleksandrov, K.S., B.P. Khrustalev, S.N. Krivomazov, M.I. Petrov, A.D. Vasilyev and S.A. Zwegintsev, Superconductivity near liquid nitrogen temperature in the Sn–Ba–Sr–Y–Cu–O system 161 (1989) 493
Algarabel, P.A., see A. del Moral 161 (1989) 48
Allenspach, P., A. Furrer, B. Rupp and H. Blank, Oxygen-vacancy induced changes of the crystal-field interaction in $ErBa_2Cu_3O_x$ ($6.1 \leqslant x \leqslant 7.0$) determined by inelastic neutron scattering 161 (1989) 671
Alvarez, G., see A. Bailey 161 (1989) 347
Andreetti, G.D., see G. Calestani 161 (1989) 598
Anisimov, V.I., M.A. Korotin and I.V. Afanasyev, Antiferromagnetism and the band gap in d-metal oxides in the local spin density approximation: NiO and La_2CuO_4 161 (1989) 59
Arai, J. and H. Shimizu, Antiferromagnetic coupling between Fe and Cu moments in superconductor $YBa_2(Cu_{1-x}Fe_x)_3O_y$ 161 (1989) 475
Arnaudas, J.I., see A. del Moral 161 (1989) 48
Asano, H., see H. Akinaga 161 (1989) 581

Bailey, A., S.L. Town, G. Alvarez, G.J. Russell and K.N.R. Taylor, High critical current density thick films of YBCO on YSZ 161 (1989) 347
Balakrishnan, G., L.W.J. Caves, R. Dupree, D.McK. Paul and M.E. Smith, NMR evidence for fluctuating, localised magnetic fields in zinc-doped $YBa_2Cu_3O_{7-\delta}$ 161 (1989) 9
Balatsky, A.V. and S.I. Matveenko, Fermions in antiferromagnets and phase transition 161 (1989) 136
Bando, Y., see Y. Ochiai 161 (1989) 447
Barnes, S.E., see D. Shaltiel 161 (1989) 13
Bednorz, G., see T. Williams 161 (1989) 331
Bernhardt, K., R. Gross, M. Hartmann, R.P. Huebener, F. Kober, D. Koelle and T. Sermet, A new inductive method for measuring the critical current density in high-T_c superconducting films 161 (1989) 468
Bhadra, R., see U. Welp 161 (1989) 345
Bill, H., see D. Shaltiel 161 (1989) 13
Black, M.A., see P.J. McGinn 161 (1989) 198
Blank, H., see P. Allenspach 161 (1989) 671
Blunt, F.J., see J.L. Tallon 161 (1989) 523
Bohandy, J., see B.F. Kim 161 (1989) 76
Bolender, J., see L. Soderholm 161 (1989) 252
Botlo, M., see H.W. Weber 161 (1989) 272
Botlo, M., see H.W. Weber 161 (1989) 287

Braun, E., see W. Schnelle 161 (1989) 123
Braunisch, W., see W. Schnelle 161 (1989) 123
Broicher, H., see W. Schnelle 161 (1989) 123
Bucher, B., see J. Karpinski 161 (1989) 618
Budnick, J.I., see B.R. Weinberger 161 (1989) 91
Bukowski, E.D., see Q. Huang 161 (1989) 141
Burila, C.T., see B.R. Weinberger 161 (1989) 91

Calestani, G., C. Rizzoli, M.G. Francesconi and G.D. Andreetti, The modulated structure of $Bi_2Sr_{3-x}Ca_xCu_2O_8$: a commensurate model from single crystal X-ray diffraction data 161 (1989) 598
Carlson, D., see J.E. Schirber 161 (1989) 412
Carrillo-Cabrera, W. and W. Göpel, Influence of high-temperature annealing on the $(Bi, Pb)_2Sr_2Ca_2Cu_3O_{10}$ phase and determination of its crystal structure by X-ray powder diffractometry 161 (1989) 373
Caves, L.W.J., see G. Balakrishnan 161 (1989) 9
Chakravarti, A., see N. Chatterjee 161 (1989) 589
Chang, F., see Y. He 161 (1989) 226
Chatterjee, N., C.D. Mukherjee, R. Ranganathan, A. Chakravarti and A.K. Raychaudhuri, Superconductivity in low bismuth containing system 161 (1989) 589
Chebotaev, N.M., see S.A. Davydov 161 (1989) 549
Chen, C., see C. Raptis 161 (1989) 83
Chen, W., see P.J. McGinn 161 (1989) 198
Choudhury, P., see A. Poddar 161 (1989) 567
Ciccarello, I., M. Guccione and M. Li Vigni, Low-field microwave effects in zero-field-cooled high-T_c superconductors 161 (1989) 39
Cipolli, R., see B.R. Weinberger 161 (1989) 91
Collin, G., see F. Keller-Berest 161 (1989) 150
Collman, J.P., see G.T. Yee 161 (1989) 195
Coniglio, A. and H.E. Stanley, Dilute annealed magnetism and high temperature superconductivity 161 (1989) 88
Crabtree, G.W., see U. Welp 161 (1989) 1
Cucolo, A.M., J.M. Valles Jr., R.C. Dynes, M. Gurvitch, J.M. Phillips and J.P. Garno, Low leakage tunnel junctions on liquid etched thin films of $Y_1Ba_2Cu_3O_7$ 161 (1989) 351

Dam, B., see G.M. Stollman 161 (1989) 444
Das, A.N. and S. Sil, Electron–phonon interaction in a strongly correlated Hubbard system 161 (1989) 325
Das, A.N., see A. Poddar 161 (1989) 567
Davis, R.L., see B.A. Hunter 161 (1989) 594
Davydov, S.A., B.N. Goshchitskii, A.E. Karkin, A.V. Mirmelstein, V.D. Parkhomenko, N.M. Chebotaev and A.A. Samokhvalov, Anisotropy of conductivity in radiation-disordered $YBa_2Cu_3O_{7-\delta}$ single crystals 161 (1989) 549
Day, P., see M.J. Rosseinsky 161 (1989) 21
Degiorgi, L., S. Rusiecki and P. Wachter, About the superconducting gap in the n-type high-T_c superconductor $(Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ 161 (1989) 239
De Jongh, L.J., Some applications of the quantum-lattice-gas model to high-T_c superconductivity 161 (1989) 631

Del Moral, A., M.R. Ibarra, P.A. Algarabel and J.I. Arnaudas, Magnetostriction and thermal expansion of high-T_c magnetic superconductors $REBa_2Cu_3O_{7-x}$ (RE=Sm, Eu, Gd, Dy, Ho, Er, Tm and Y) 161 (1989) 48
De Vries, J.W.C., see G. Marbach 161 (1989) 111
De Vries, J.W.C., M. Klee, G. Marbach and S. Stotz, Superconductivity in Bi–(Pb)–Sr–Ca–Cu–O films made by thermal decomposition of metal carboxylates: Preparation, characterisation and magnetisation 161 (1989) 661
Dixon, J.M., see J.A. Tuszyński 161 (1989) 687
Dong, C., Z.Z. Sheng, X. Fei, L. Sheng, J.H. Wang and A.M. Hermann, Superconductivity about 120 K in the Tl–Bi–Sr–Ca–Cu–O system 161 (1989) 257
Dunlap, R.A., see M. Foldeáki 161 (1989) 403
Dupree, R., see G. Balakrishnan 161 (1989) 9
Dynes, R.C., see A.M. Cucolo 161 (1989) 351

Eaton Jr., H.E., see B.R. Weinberger 161 (1989) 91
Emmen, J.H.P.M., see G.M. Stollman 161 (1989) 444
Enokihara, A., S. Kohiki, K. Setsune, K. Wasa, Y. Higashi, S. Fukushima and Y. Goshsi, X-ray irradiation effects on $ErBa_2Cu_3O_{7-x}$ superconducting thin films 161 (1989) 431

Fang, M.M., see U. Welp 161 (1989) 1
Fei, X., see C. Dong 161 (1989) 257
Ferrell, R.A., see B. Mirhashem 161 (1989) 354
Fil', D.V., see D.O. Livdan 161 (1989) 517
Foldeáki, M., M.E. McHenry, R.C. O'Handley and R.A. Dunlap, Local moments, diamagnetism and pinned flux in $RBa_2Cu_3O_{7-\delta}$ high temperature superconductors 161 (1989) 403
Fournier, T., see P. Strobel 161 (1989) 167
Francesconi, M.G., see G. Calestani 161 (1989) 598
François, M., see D. Shaltiel 161 (1989) 13
Franse, J.J.M., see J.N. Li 161 (1989) 313
Fu, W.T., see H.W. Zandbergen 161 (1989) 390
Fujii, H., see T. Shinjo 161 (1989) 442
Fukami, T., A.A.A. Youssef, Y. Horie and S. Mase, A hysteresis on temperature dependence of ultrasonic quantities in $(Bi_{0.8}Pb_{0.2})_2Sr_2Ca_2Cu_3O_y$ by a sintering method 161 (1989) 34
Fukushima, S., see A. Enokihara 161 (1989) 431
Furrer, A., see P. Allenspach 161 (1989) 671

Galffy, M., see W. Schnelle 161 (1989) 123
Gao, W., S.-C. Li, D.A. Rudman, G.J. Yurek and J.B. Vander Sande, Synthesis of Bi–Pb–Sr–Ca–Cu oxide/silver superconducting microcomposites by oxidation of metallic precursors 161 (1989) 71
Garno, J.P., see A.M. Cucolo 161 (1989) 351
Geus, H., see W. Schnelle 161 (1989) 123
Ghosh, B., see A. Poddar 161 (1989) 567
Giapintzakis, J., see F. Sharifi 161 (1989) 555
Ginsberg, D.M., see Q. Huang 161 (1989) 141
Ginsberg, D.M., see F. Sharifi 161 (1989) 555
Goodenough, J.B., see X.X. Tang 161 (1989) 574

Goodman, G.L., see L. Soderholm 161 (1989) 252
Göpel, W., see W. Carrillo-Cabrera 161 (1989) 373
Goshchitskii, B.N., see S.A. Davydov 161 (1989) 549
Goshsi, Y., see A. Enokihara 161 (1989) 431
Gray, K.E., see Q. Huang 161 (1989) 141
Greaves, C. and P.R. Slater, Nb and Ta substitutions in $YBa_2Cu_3O_{7-x}$ and related phases: structural characterisation of $La_{1.1}Ba_{1.9}Cu_{2.1}M_{0.9}O_8$ (M=Nb, Ta) 161 (1989) 245
Grimsditch, M., see U. Welp 161 (1989) 1
Grimsditch, M., see U. Welp 161 (1989) 345
Gross, R., see K. Bernhardt 161 (1989) 468
Guccione, M., see I. Ciccarello 161 (1989) 39
Gupta, A., see C.C. Tsuei 161 (1989) 415
Gupta, M., see R.P. Gupta 161 (1989) 122
Gupta, R.P. and M. Gupta, Role of electronic structure on the possibility of electron versus hole doping in superconducting Nd_2CuO_4. Physica C 160 (1989) 141. Erratum 161 (1989) 122
Gurvitch, M., see A.M. Cucolo 161 (1989) 351

Hagemann, H., see D. Shaltiel 161 (1989) 13
Hartmann, M., see K. Bernhardt 161 (1989) 468
Hauck, J. and K. Mika, Structural architecture of superconducting oxides 161 (1989) 512
Haycock, P.W., see C. Raptis 161 (1989) 83
He, A., see Y. He 161 (1989) 226
He, Y., J. Xiang, H. Wang, A. He, J. Zhang and F. Chang, Experimental evidence for the lattice instability of Bi-based superconducting systems 161 (1989) 226
Herath, J. and D. Rainer, Effects of impurities on Andreev reflection in an N–S bilayer 161 (1989) 209
Hermann, A.M., see C. Dong 161 (1989) 257
Higashi, Y., see A. Enokihara 161 (1989) 431
Hiraga, K., see A. Tokiwa 161 (1989) 459
Hiraga, K., see T. Kajitani 161 (1989) 483
Hirata, K., see Y. Ochiai 161 (1989) 447
Hirsch, J.E., Hole superconductivity: the strong coupling limit 161 (1989) 185
Hizhnyakov, V., N. Kristoffel and E. Sigmund, On the percolation induced conductivity in high-T_c superconducting materials. Physica C 160 (1989) 119. Erratum 161 (1989) 435
Ho, J.C., see P.G. Wahlbeck 161 (1989) 175
Hodeau, J.-L., see P. Strobel 161 (1989) 155
Homonnay, Z., see A. Nath 161 (1989) 205
Honbo, E., see H. Kaga 161 (1989) 677
Horie, Y., see T. Fukami 161 (1989) 34
Horiuchi, T., see T. Kawai 161 (1989) 561
Hosoito, N., see T. Shinjo 161 (1989) 442
Huang, Q., J.F. Zasadzinski, K.E. Gray, E.D. Bukowski and D.M. Ginsberg, Point-contact tunneling study of the normal and superconducting states of $Tl_2Ba_2CaCu_2O_x$ 161 (1989) 141
Huebener, R.P., see K. Bernhardt 161 (1989) 468
Hulliger, F., see A. Schilling 161 (1989) 626
Hunter, B.A., S.L. Town, R.L. Davis, G.J. Russell and K.N.R. Taylor, Neutron scattering study of the structure of Y_2BaCuO_5 at 294 K and 77 K 161 (1989) 594

Ibarra, M.R., see A. del Moral 161 (1989) 48
Iijima, K., see Y. Ochiai 161 (1989) 447
Ishii, T., see K. Soda 161 (1989) 219
Ishikawa, M., see K. Soda 161 (1989) 219
Itoh, T., see H. Nagata 161 (1989) 66
Iyer, R.M., see P.V.P.S.S. Sastry 161 (1989) 656

Jegondaz, J., see D. Shaltiel 161 (1989) 13
Jilek, E., see J. Karpinski 161 (1989) 618

Kabuto, C., see T. Kajitani 161 (1989) 483
Kachi, T., see M. Ohkubo 161 (1989) 443
Kadowaki, K., see J.N. Li 161 (1989) 313
Kadowaki, K., see H.W. Zandbergen 161 (1989) 390
Kaga, H. and E. Honbo, Pairing states in the cubic-lattice heavy-fermion model 161 (1989) 677
Kajitani, T., K. Hiraga, S. Nakajima, M. Kikuchi, Y. Syono and C. Kabuto, X-ray diffraction analysis on 2223 Tl-oxide single crystals 161 (1989) 483
Kaldis, E., see J. Karpinski 161 (1989) 618
Kamiya, K., see J. Tanaka 161 (1989) 451
Karkin, A.E., see S.A. Davydov 161 (1989) 549
Karpinski, J., S. Rusiecki, B. Bucher, E. Kaldis and E. Jilek, The nonstoichiometry of the high-T_c superconductor $Y_2Ba_4Cu_7O_{15\pm x}$ ($14\ K \leqslant T_c \leqslant 68\ K$) 161 (1989) 618
Kawai, S., see T. Kawai 161 (1989) 561
Kawai, T., T. Horiuchi, K. Mitsui, K. Ogura, S. Takagi and S. Kawai, Effect of alkaline metal substitutions to Bi–Sr–Ca–Cu–O superconductor 161 (1989) 561
Keller-Berest, F., S. Megtert, G. Collin, P. Monod and M. Ribault, The $(Y_{1-x}Ca_x)(Ba_{2-x}La_x)Cu_3O_7$ system and the pseudo "$CaBaLaCu_3O_7$" 161 (1989) 150
Khrustalev, B.P., see K.S. Aleksandrov 161 (1989) 493
Kikuchi, M., see T. Oashi 161 (1989) 367
Kikuchi, M., see A. Tokiwa 161 (1989) 459
Kikuchi, M., see T. Kajitani 161 (1989) 483
Kim, B.F., J. Bohandy, T.E. Phillips, F.J. Adrian and K. Moorjani, Detection of weak link superconductivity by magnetically modulated electrical resistance 161 (1989) 76
Klee, M., see G. Marbach 161 (1989) 111
Klee, M., see J.W.C. de Vries 161 (1989) 661
Kleinjan, S., see J.E. Schirber 161 (1989) 412
Kober, F., see K. Bernhardt 161 (1989) 468
Koelle, D., see K. Bernhardt 161 (1989) 468
Kohiki, S., see A. Enokihara 161 (1989) 431
Komazaki, T., see Y. Saito 161 (1989) 683
Korczak, W., see P. Strobel 161 (1989) 155
Korczak, W., see P. Strobel 161 (1989) 167
Koren, G., see C.C. Tsuei 161 (1989) 415
Korotin, M.A., see V.I. Anisimov 161 (1989) 59
Kristoffel, N., see V. Hizhnyakov 161 (1989) 435
Krivomazov, S.N., see K.S. Aleksandrov 161 (1989) 493
Kumagai, K., see Y. Nakamura 161 (1989) 265

Kumagai, K., see T. Oashi 161 (1989) 367
Kusuda, T., see T. Shinjo 161 (1989) 442
Kwok, W.K., see U. Welp 161 (1989) 1
Kwok, W.K., see J.E. Schirber 161 (1989) 412

Laa, C., see H.W. Weber 161 (1989) 272
Laa, C., see H.W. Weber 161 (1989) 287
Laa, C., see E. Seidl 161 (1989) 294
Langmann, E., see W. Pint 161 (1989) 441
Lee, B.S., Possible local instability mode coupling mechanism for high temperature superconductiviti in La–Sr–Cu–O. Physica C 160 (1989) 141. Erratum 161 (1989) 121
Lee, S.-N., see N.-L. Wu 161 (1989) 302
Lelental, M., see D. Majumdar 161 (1989) 145
Li, J.N., K. Kadowaki, M.J.V. Menken, A.A. Menovsky and J.J.M. Franse, Resistive transition in single-crystalline $YBa_2Cu_3O_7$ for various configurations of current and magnetic field directions 161 (1989) 313
Li, S.-C., see W. Gao 161 (1989) 71
Li, Y., see W. Tang 161 (1989) 181
Lin, M., see W. Tang 161 (1989) 181
Lin, Z., see W. Tang 161 (1989) 181
Little, W.A., see G.T. Yee 161 (1989) 195
Liu, J.Z., see U. Welp 161 (1989) 1
Liu, J.Z., see U. Welp 161 (1989) 345
Liu, R.S., see J.L. Tallon 161 (1989) 523
Liu, Z., see W. Tang 161 (1989) 181
Livdan, D.O., V.P. Seminozhenko, V.L. Sobolev, O.I. Tokar' and D.V. Fil', The spinon channel of Cooper pairing in the two-band Hubbard model 161 (1989) 517
Li Vigni, M., see I. Ciccarello 161 (1989) 39
Lovy, D., see D. Shaltiel 161 (1989) 13
Lynds, L., see B.R. Weinberger 161 (1989) 91

Maeno, Y., see T. Williams 161 (1989) 331
Majumdar, D. and M. Lelental, XPS studies on copper valence in 85 K and 110 K mixed phase lead-free Bi–Sr–Ca–Cu–O superconducting thin films prepared by MOD techniques 161 (1989) 145
Mandal, P., see A. Poddar 161 (1989) 567
Mangelschots, I., see T. Williams 161 (1989) 331
Manthiram, A., see X.X. Tang 161 (1989) 574
Marbach, G., S. Stotz, M. Klee and J.W.C. de Vries, Superconductivity in Bi–Sr–Ca–Cu–O bulk samples made by thermal decomposition of metal oxalates 161 (1989) 111
Marbach, G., see J.W.C. de Vries 161 (1989) 661
Mase, S., see T. Fukami 161 (1989) 34
Masuda, K., see H. Akinaga 161 (1989) 581
Matsukuma, K., see T. Shinjo 161 (1989) 442
Matveenko, S.I., see A.V. Balatsky 161 (1989) 136
Mayerhofer, E., see H.W. Weber 161 (1989) 272
Mazumdar, S., Experimental predictions for the normal state of electron-doped high-temperature superconductors 161 (1989) 423

McGinn, P.J., W. Chen and M.A. Black, Texture processing of bulk $YBa_2Cu_3O_{6+x}$ by zone melting 161 (1989) 198
McGreevy, R.L., see C. Raptis 161 (1989) 83
McHenry, M.E., see M. Foldeáki 161 (1989) 403
Megtert, S., see F. Keller-Berest 161 (1989) 150
Meng, X., see W. Tang 161 (1989) 181
Menken, M.J.V., see J.N. Li 161 (1989) 313
Menovsky, A.A., see J.N. Li 161 (1989) 313
Meshkov, S.V., S.N. Molotkov, S.S. Nazin, I.S. Smirnova and V.V. Tatarskii, Electronic structure of the superconducting compounds $Tl_2Ba_2CuO_6$ and $Bi_2Sr_2CuO_6$ 161 (1989) 497
Meuffels, P., R. Naeven and H. Wenzl, Pressure–composition isotherms for the oxygen solution in $YBa_2Cu_3O_{6+x}$ 161 (1989) 539
Mika, K., see J. Hauck 161 (1989) 512
Min, E., see H. Nagata 161 (1989) 66
Mirhashem, B. and R.A. Ferrell, Bias current dependence of the electromagnetic response of thin granular films and Josephson arrays 161 (1989) 354
Mirmelstein, A.V., see S.A. Davydov 161 (1989) 549
Mitsui, K., see T. Kawai 161 (1989) 561
Mizutani, T., see T. Shinjo 161 (1989) 442
Molotkov, S.N., see S.V. Meshkov 161 (1989) 497
Monod, P., see D. Shaltiel 161 (1989) 13
Monod, P., see F. Keller-Berest 161 (1989) 150
Moorjani, K., see B.F. Kim 161 (1989) 76
Mori, T., see K. Soda 161 (1989) 219
Mukherjee, C.D., see N. Chatterjee 161 (1989) 589
Müller, K.-H. and A.J. Pauza, Intergranular AC loss in high-temperature superconductors 161 (1989) 319
Myers, D.L., see P.G. Wahlbeck 161 (1989) 175

Naeven, R., see P. Meuffels 161 (1989) 539
Nagasawa, H., see Y. Saito 161 (1989) 683
Nagata, H., E. Min, M. Aihara, T. Itoh and H. Takai, Characteristics of $YBa_2Cu_3O_x$ films heat-treated in inert gases 161 (1989) 66
Nagoshi, M., see A. Tokiwa 161 (1989) 459
Nakajima, H., see T. Oashi 161 (1989) 367
Nakajima, S., see T. Kajitani 161 (1989) 483
Nakamura, F., see Y. Ochiai 161 (1989) 447
Nakamura, Y. and K. Kumagai, Studies of $^{63/65}$Cu-NQR and electrical resistivity for the wide range of x in $La_{2-x}Sr_xCuO_4$ 161 (1989) 265
Narahara, Y., see Y. Ochiai 161 (1989) 447
Nath, A. and Z. Homonnay, Emission Mössbauer studies of nonrigidity of copper–oxygen chain in $YBa_2Cu_3O_{7-\delta}$ 161 (1989) 205
Nazin, S.S., see S.V. Meshkov 161 (1989) 497
Noritake, T., see M. Ohkubo 161 (1989) 443

Oashi, T., K. Kumagai, H. Nakajima, M. Kikuchi and Y. Syono, Nuclear quadrupole resonance of $^{63/65}$Cu in the 2223 phase of Tl–Ba–Ca–Cu–O and (Bi, Pb)–Sr–Ca–Cu–O 161 (1989) 367

Ochiai, Y., F. Nakamura, K. Senoh, T. Tamura, T. Terashima, K. Iijima, K. Yamamoto, K. Hirata, Y. Bando and Y. Narahara, Low temperature conduction in $GdBa_2Cu_3C_y$ ($y<6.4$) films 161 (1989) 447
Ogura, K., see T. Kawai 161 (1989) 561
O'Handley, R.C., see M. Foldeáki 161 (1989) 403
Ohkubo, M., T. Kachi and T. Noritake, Ion-channeling analysis for epitaxial $YBa_2Cu_3O_x$ superconducting thin films by laser deposition. Physica C 160 (1989) 480. Erratum 161 (1989) 443
Oku, T., see A. Tokiwa 161 (1989) 459
Ott, H.R., see A. Schilling 161 (1989) 626
Overmyer, D.L., see J.E. Schirber 161 (1989) 412
Oychinnikov, S.G. and I.S. Sandalov, The band structure of strong-correlated electrons in $La_{2-x}Sr_xCuO_4$ and $YBa_2Cu_3O_{7-y}$ 161 (1989) 607

Pankert, J., see G.M. Stollman 161 (1989) 444
Park, K.T., see K. Soda 161 (1989) 219
Parkhomenko, V.D., see S.A. Davydov 161 (1989) 549
Paul, D.McK., see G. Balakrishnan 161 (1989) 9
Pauza, A.J., see K.-H. Müller 161 (1989) 319
Peter, M., see D. Shaltiel 161 (1989) 13
Petrov, M.I., see K.S. Aleksandrov 161 (1989) 493
Phillips, J.M., see A.M. Cucolo 161 (1989) 351
Phillips, T.E., see B.F. Kim 161 (1989) 76
Pint, W., E. Langmann and E. Schachinger, The critical temperature of superconductors with a cylindersymmetric Fermi surface. Physica C 157 (1989) 415. Erratum 161 (1989) 441
Poddar, A., P. Mandal, A.N. Das, B. Ghosh and P. Choudhury, Electrical resistivity, magnetoresistance, magnetisation, Hall coefficient and excess conductivity in Pb-doped Bi–Sr–Ca–Cu oxides 161 (1989) 567
Potrepka, D.M., see B.R. Weinberger 161 (1989) 91
Prassides, K., see M.J. Rosseinsky 161 (1989) 21

Rainer, D., see J. Herath 161 (1989) 209
Rammer, J., see H.W. Weber 161 (1989) 272
Rammer, J., see H.W. Weber 161 (1989) 287
Rammer, J., see E. Seidl 161 (1989) 294
Ranganathan, R., see N. Chatterjee 161 (1989) 589
Raptis, C., R.L. McGreevy, P.W. Haycock, C. Chen and B.M. Wanklyn, Raman probing of thermally induced effects on $La_{2-x}Sr_xCuO_4$ single crystals 161 (1989) 83
Raychaudhuri, A.K., see N. Chatterjee 161 (1989) 589
Reller, A., see T. Williams 161 (1989) 331
Ren, Y., see W. Tang 161 (1989) 181
Revcolevschi, A., see D. Shaltiel 161 (1989) 13
Ribault, M., see F. Keller-Berest 161 (1989) 150
Rizzoli, C., see G. Calestani 161 (1989) 598
Rosseinsky, M.J., K. Prassides and P. Day, Structural phase relations in the $La_{2-x-y}Ln_xSr_yCuO_{4-\delta}$, the $Ln_{2-x}Ce_xCuO_{4-\delta}$ and the $Ln_{2-y}Sr_yCuO_{4-\delta}$ systems: a powder neutron diffraction study 161 (1989) 21
Ruckenstein, E., see N.-L. Wu 161 (1989) 302

Rudman, D.A., see W. Gao 161 (1989) 71
Rupp, B., see P. Allenspach 161 (1989) 671
Ruppel, S., see W. Schnelle 161 (1989) 123
Rusiecki, S., see L. Degiorgi 161 (1989) 239
Rusiecki, S., see J. Karpinski 161 (1989) 618
Russell, G.J., see B.A. Hunter 161 (1989) 594
Russell , G.J., see A. Bailey 161 (1989) 347

Sadowski, W., see D. Shaltiel 161 (1989) 13
Saito, Y., T. Komazaki and H. Nagasawa, Sensitive detection of phase transitions by microwave cavity perturbation method: application to high-T_c superconductor Bi–Sr–Ca–Cu–O system 161 (1989) 683
Sakurai, T., T. Yamashita, H. Yamauchi and S. Tanaka, $T^* \rightarrow T'$ phase change in $Nd_{1.4}Sr_{0.4}Ce_{0.2}CuO_{4-\delta}$ 161 (1989) 6
Samokhvalov, A.A., see S.A. Davydov 161 (1989) 549
Sandalov, I.S., see S.G. Oychinnikov 161 (1989) 607
Sang, L., see W. Tang 161 (1989) 181
Sastry, P.V.P.S.S., J.V. Yakhmi and R.M. Iyer, Towards the synthesis of the single-phase Bi-2223 superconductor from stoichiometric $(Bi,Pb)_2Ca_2Sr_2Cu_3O_y$ compositions 161 (1989) 656
Sauerzopf, F.M., see H.W. Weber 161 (1989) 272
Schachinger, E., see E. Seidl 161 (1989) 294
Schachinger, E., see W. Pint 161 (1989) 441
Schalk, R.M., see H.W. Weber 161 (1989) 272
Schilling, A., H.R. Ott and F. Hulliger, Measurement of the specific-heat anomaly at T_c in $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_{10}$ 161 (1989) 626
Schirber, J.E., D.L. Overmyer, E.L. Venturini, H.H. Wang, D. Carlson, W.K. Kwok, S. Kleinjan and J.M. Williams, Anomalous pressure dependence of the superconducting transition temperature of $(ET)_4Hg_{2.89}Br_8$ 161 (1989) 412
Schnelle, W., E. Braun, H. Broicher, H. Weiss, H. Geus, S. Ruppel, M. Galffy, W. Braunisch, A. Waldorf, F. Seidler and D. Wohlleben, Superconducting fluctuations in $Bi_2Sr_2Ca_2Cu_3O_x$ 161 (1989) 123
Seidl, E., see H.W. Weber 161 (1989) 272
Seidl, E., see H.W. Weber 161 (1989) 287
Seidl, E., C. Laa, H.P. Wiesinger, H.W. Weber, J. Rammer and E. Schachinger, Magnetization of low-κ superconductors III. The generalized Ginzburg–Landau parameters κ_1 and κ_2 161 (1989) 294
Seidler, F., see W. Schnelle 161 (1989) 123
Seminozhenko, V.P., see D.O. Livdan 161 (1989) 517
Senoh, K., see Y. Ochiai 161 (1989) 447
Sermet, T., see K. Bernhardt 161 (1989) 468
Setsune, K., see A. Enokihara 161 (1989) 431
Shaltiel, D., S.E. Barnes, H. Bill, M. François, H. Hagemann, J. Jegondaz, D. Lovy, P. Monod, M. Peter, A. Revcolevschi, W. Sadowski and E. Walker, Unusual behavior of the Gd ESR in single crystals of $Gd_yY_{1-y}Ba_2Cu_3O_{6+x}$ with $x=0.1$–0.8 and $y=0.03$–0.06: evidence for a magnetic interaction in the superconductors 161 (1989) 13
Sharifi, F., J. Giapintzakis, D.M. Ginsberg and D.J. Van Harlingen, Effect of inhomogeneities on the fluctuation-induced cusp in the specific heat of high temperature superconductors 161 (1989) 555

Sheng, L., see C. Dong 161 (1989) 257
Sheng, Z.Z., see C. Dong 161 (1989) 257
Shimizu, H., see J. Arai 161 (1989) 475
Shinjo, T., T. Mizutani, N. Hosoito, T. Kusuda, T. Takabatake, K. Matsukuma and H. Fujii, Spin fluctuations in $La_{1.85}Sr_{0.15}CuO_4$ studied from ^{119}Sn Mössbauer spectroscopy. Physica C 159 (1989) 869. Erratum 161 (1989) 442
Sigmund, E., see V. Hizhnyakov 161 (1989) 435
Sil, S., see A.N. Das 161 (1989) 325
Slater, P.R., see C. Greaves 161 (1989) 245
Smirnova, I.S., see S.V. Meshkov 161 (1989) 497
Smith, M.E., see G. Balakrishnan 161 (1989) 9
Smith Jr., V.H., see B. Szpunar 161 (1989) 503
Snow, D.B., see B.R. Weinberger 161 (1989) 91
Sobolev, V.L., see D.O. Livdan 161 (1989) 517
Soda, K., T. Mori, T. Ishii, K.T. Park, K. Terakura, T. Takabatake and M. Ishikawa, Photoelectron spectra of $YBa_2Cu_3O_x$ ($x=6.9$ and 6.0) 161 (1989) 219
Soderholm, L., G.L. Goodman, U. Welp, C.W. Williams and J. Bolender, The synthesis and characterization of $CmBa_2Cu_3O_7$ 161 (1989) 252
Sokalski, K., Superfluid model of high temperature superconductivity 161 (1989) 233
Spałek, J., see B. Szpunar 161 (1989) 503
Stanley, H.E., see A. Coniglio 161 (1989) 88
Stollman, G.M., B. Dam, J.H.P.M. Emmen and J. Pankert, Critical current density and pinning energy of an epitaxial $YBa_2Cu_3O_{7-\delta}$-film. Physica C 159 (1989) 854. Erratum 161 (1989) 444
Stotz, S., see G. Marbach 161 (1989) 111
Stotz, S., see J.W.C. de Vries 161 (1989) 661
Strobel, P., W. Korczak, J.-L. Hodeau and J.-L. Tholence, Effect of oxygen partial pressure on superconductivity in $Bi_2Sr_{1.5}Ca_{1.9}Cu_{3.4}O_x$ and synthesis of single crystals of undoped $Bi_2Sr_2Ca_2Cu_3O_x$ ($T_c \approx 108$ K) 161 (1989) 155
Strobel, P., W. Korczak and T. Fournier, A thermal analysis study of the system Bi–Sr–Ca–Cu–O at variable oxygen pressure 161 (1989) 167
Syono, Y., see T. Oashi 161 (1989) 367
Syono, Y., see A. Tokiwa 161 (1989) 459
Syono, Y., see T. Kajitani 161 (1989) 483
Szeto, K.Y., Mean field theory of superconductivity in frustrated 2D-XY magnets 161 (1989) 527
Szpunar, B., V.H. Smith Jr. and J. Spałek, Electronic structure of antiferromagnetic La_2NiO_4 and $La_{1.5}Sr_{0.5}NiO_4$ systems 161 (1989) 503

Takabatake, T., see K. Soda 161 (1989) 219
Takabatake, T., see T. Shinjo 161 (1989) 442
Takagi, S., see T. Kawai 161 (1989) 561
Takai, H., see H. Nagata 161 (1989) 66
Takita, K., see H. Akinaga 161 (1989) 581
Tallon, J.L., R.S. Liu, K.L. Wu, F.J. Blunt and P.T. Wu, Absence of oxygen stoichiometry effects on T_c in a Tl-1122 superconductor 161 (1989) 523
Tamura, T., see Y. Ochiai 161 (1989) 447
Tan, Z., see B.R. Weinberger 161 (1989) 91
Tanaka, C., see J. Tanaka 161 (1989) 451

Tanaka, J., K. Kamiya and C. Tanaka, Electronic structure of the CuO_2-plane of cuprate superconductors 161 (1989) 451
Tanaka, S., see T. Sakurai 161 (1989) 6
Tang, W., M. Lin, X. Meng, Z. Lin, Q. Tu, L. Sang, Y. Ren, S. Zhou, Y. Li and Z. Liu, Influence of Mn on the superconductivity of the TlBaCaCuO system 161 (1989) 181
Tang, X.X., A. Manthiram and J.B. Goodenough, Role of internal electric field on suppression of superconductivity by Pr in copper oxides 161 (1989) 574
Tatarskii, V.V., see S.V. Meshkov 161 (1989) 497
Taylor, K.N.R., see A. Bailey 161 (1989) 347
Taylor, K.N.R., see B.A. Hunter 161 (1989) 594
Terakura, K., see K. Soda 161 (1989) 219
Terashima, T., see Y. Ochiai 161 (1989) 447
Tholence, J.-L., see P. Strobel 161 (1989) 155
Tokar', O.I., see D.O. Livdan 161 (1989) 517
Tokiwa, A., T. Oku, M. Nagoshi, M. Kikuchi, K. Hiraga and Y. Syono, Crystal structure and phase transition of $PbBaSrYCu_3O_y$ ($y=7\sim8.4$) 161 (1989) 459
Town, S.L., see A. Bailey 161 (1989) 347
Town, S.L., see B.A. Hunter 161 (1989) 594
Tsuei, C.C., A. Gupta and G. Koren, Quadratic temperature dependence of the in-plane resistivity in superconducting $Nd_{1.85}Ce_{0.15}CuO_4$ – evidence for Fermi-liquid normal state 161 (1989) 415
Tu, Q., see W. Tang 161 (1989) 181
Tulina, N.A., Determination of the energy gap in a thin $YBa_2Cu_3O_{7-x}$ film by Andreev reflection and by tunneling. Physica C 152 (1988) 105. Comment. 161 (1989) 262
Tuszyński, J.A. and J.M. Dixon, Non-linear aspects of the Landau–Ginzburg model with applications to new high temperature superconductors 161 (1989) 687

Valles Jr., J.M., see A.M. Cucolo 161 (1989) 351
Vander Sande, J.B., see W. Gao 161 (1989) 71
Van Harlingen, D.J., see F. Sharifi 161 (1989) 555
Van Tendeloo, G., see H.W. Zandbergen 161 (1989) 390
Vasilyev, A.D., see K.S. Aleksandrov 161 (1989) 493
Venturini, E.L., see J.E. Schirber 161 (1989) 412

Wachter, P., see L. Degiorgi 161 (1989) 239
Wahlbeck, P.G., D.L. Myers and J.C. Ho, Thermal decomposition and chemical interactions observed by mass spectrometry of Y–Ba–Cu–O superconductors 161 (1989) 175
Waldorf, A., see W. Schnelle 161 (1989) 123
Walker, E., see D. Shaltiel 161 (1989) 13
Wang, H., see Y. He 161 (1989) 226
Wang, H.H., see J.E. Schirber 161 (1989) 412
Wang, J.H., see C. Dong 161 (1989) 257
Wanklyn, B.M., see C. Raptis 161 (1989) 83
Wasa, K., see A. Enokihara 161 (1989) 431
Weber, H.W., E. Seidl, M. Botlo, C. Laa, E. Mayerhofer, F.M. Sauerzopf, R.M. Schalk, H.P. Wiesinger and J. Rammer, Magnetization of low-κ superconductors. The phase transition at H_{c1} 161 (1989) 272
Weber, H.W., E. Seidl, M. Botlo, C. Laa, H.P. Wiesinger and J. Rammer, Magnetization of low-κ superconductors II. The lower critical field H_{c1} 161 (1989) 287

Weber, H.W., see E. Seidl 161 (1989) 294
Weinberger, B.R., L. Lynds, D.M. Potrepka, D.B. Snow, C.T. Burila, H.E. Eaton Jr., R. Cipolli, Z. Tan and J.I. Budnick, Y–Ba–Cu–O/silver composites: an experimental study of microstructure and superconductivity 161 (1989) 91
Weiss, H., see W. Schnelle 161 (1989) 123
Welp, U., M. Grimsditch, H. You, W.K. Kwok, M.M. Fang, G.W. Crabtree and J.Z. Liu, The upper critical field of untwinned $YBa_2Cu_3O_{7-\delta}$ crystals 161 (1989) 1
Welp, U., see L. Soderholm 161 (1989) 252
Welp, U., R. Bhadra, J.Z. Liu and M. Grimsditch, Elastic anisotropy in the *a–b* plane of untwinned $YBa_2Cu_3O_{7-\delta}$ 161 (1989) 345
Wenzl, H., see P. Meuffels 161 (1989) 539
Wiesinger, H.P., see H.W. Weber 161 (1989) 272
Wiesinger, H.P., see H.W. Weber 161 (1989) 287
Wiesinger, H.P., see E. Seidl 161 (1989) 294
Williams, C.W., see L. Soderholm 161 (1989) 252
Williams, J.M., see J.E. Schirber 161 (1989) 412
Williams, T., Y. Maeno, I. Mangelschots, A. Reller and G. Bednorz, Oxygen vacancy ordering in superconducting $Nd_{2-x}Ce_xCuO_{4-y}$ 161 (1989) 331
Wohlleben, D., see W. Schnelle 161 (1989) 123
Wong, S.-Y., see N.-L. Wu 161 (1989) 302
Wu, K.L., see J.L. Tallon 161 (1989) 523
Wu, N.-L., Y.D. Yao, S.-N. Lee, S.-Y. Wong and E. Ruckenstein, Synthesis of $Tl_2Ca_nBa_2Cu_{n+1}O_{6+2n}$ ($n=1, 2$) from stoichiometric reactant mixtures 161 (1989) 302
Wu, P.T., see J.L. Tallon 161 (1989) 523

Xiang, J., see Y. He 161 (1989) 226
Xiong, S., Secondary retarded pairing of carriers 161 (1989) 105

Yakhmi, J.V., see P.V.P.S.S. Sastry 161 (1989) 656
Yamamoto, K., see Y. Ochiai 161 (1989) 447
Yamauchi, H., see T. Sakurai 161 (1989) 6
Yamashita, T., see T. Sakurai 161 (1989) 6
Yao, Y.D., see N.-L. Wu 161 (1989) 302
Yee, G.T., J.P. Collman and W.A. Little, Experimental evidence for singlet s-wave pairing in $YBa_2Cu_3O_7$ 161 (1989) 195
You, H., see U. Welp 161 (1989) 1
Youssef, A.A.A., see T. Fukami 161 (1989) 34
Yurek, G.J., see W. Gao 161 (1989) 71

Zandbergen, H.W., W.T. Fu, K. Kadowaki and G. van Tendeloo, High resolution electron microscopy on grain boundaries in $Pb_2Sr_{2-x}La_xCu_2O_{6+\partial}$, $Pb_2(Sr,La)_2SrCu_3O_{8+\partial}$ and $Pb_2Sr_2(Ca,Y)Cu_3O_{8+\partial}$ 161 (1989) 390
Zasadzinski, J.F., see Q. Huang 161 (1989) 141
Zhang, J., see Y. He 161 (1989) 226
Zhou, S., see W. Tang 161 (1989) 181
Zwegintsev, S.A., see K.S. Aleksandrov 161 (1989) 493

ANALYTIC SUBJECT INDEX TO VOLUME 161

AC susceptibility
– of $Bi_2Sr_2Ca_2Cu_3O_{10+\delta}$ 111
– of Bi compounds 589
– of Bi–Tl compounds 257
– of $YBa_2Cu_3O_{7-\delta}$ 319
Andreev reflection 209
– in $YBa_2Cu_3O_{7-\delta}$ 262
Anharmonicity
– of $REBa_2Cu_3O_{7-\delta}$ 48
Anisotropic superconductors 272, 287, 294, 313
Anisotropy, elastic
– of $YBa_2Cu_3O_{7-\delta}$ 345
Annealing effect
– in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$ 373
Antiferromagnetic fluctuations
– in $Gd_xY_{1-x}Ba_2Cu_3O_{6+\delta}$ 13
– in $YBa_2Cu_3O_{7-\delta}$ 9
Antiferromagnetic order 136
– in 2D-XY model 527
– in $CmBa_2Cu_3O_7$ 252
– in $GdBa_2Cu_3O_x$ 447
– in La_2CuO_4 59
– in La_2NiO_4 503
– in $La_{2-x}Sr_xCuO_4$ 265
Auxiliary-boson coupling 677

Band structure
– of $Bi_2Sr_2CuO_6$ 497
– of Cu–O planes 451
– of $La_{1.5}Sr_{0.5}NiO_4$ 503
– of La_2CuO_4 59
– of La_2NiO_4 503
– of $La_{2-x}Sr_xCuO_4$ 607
– of NiO 59
– of $Tl_2Ba_2CuO_6$ 497
– of $YBa_2Cu_3O_{7-\delta}$ 607
BCS model 88, 185
BCS model, applicability
– to $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ 239
BCS model, experimental test 209
Bipolaronic superconductivity 325, 631
Bose condensation 185, 325, 631
– in $2+\epsilon$ dimensional model 233

Charge redistribution
– in $REBa_2Cu_3O_x$ 671
Charge transfer 483
Composites 71, 91
Coulombic interaction 185
Coulomb interactions 233
Critical current density
– calculation 233
– effect of grain boundaries 390
– in Bi compounds 71
– in Y–Ba–Cu–O thick films 347
– measurement technique 468
– of $Bi_{2-x}Pb_xCa_2Sr_2Cu_3O_y$ 656
– theory 687
Critical phenomena 567
Crystal field
– in $Gd_xY_{1-x}Ba_2Cu_3O_{6+\delta}$ 13
Crystal-field effects
– in $ErBa_2Cu_3O_x$ 671
Crystal structure
– of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$ 373
Cu–O chains 607
– in $YBa_2Cu_3O_{7-\delta}$ 205
– in $YBa_2Cu_3O_x$ 219
Cu–O planes 367, 451, 512, 607
– hybridized orbitals 497
– in $La_{2-x}Sr_xCuO_4$ 88
– in $YBa_2Cu_3O_x$ 219

Defect structures
– in $Nd_{2-x}Ce_xCuO_{4-\delta}$ 331
DTA analysis
– of Bi compounds 167

Elastic constants
– of $YBa_2Cu_3O_{7-\delta}$ 345
Electrical resistance
– modulated 76
– of $Bi_{1.5}Pb_{0.5}Sr_2Ca_2Cu_3O_x$ 567
– of $Bi_{1.75}Pb_{0.25}Sr_2Ca_2O_x$ 567
Electrical resistivity
– of $Bi_2Sr_2Ca_2Cu_3O_{10+\delta}$ 111
– of $Bi_{2-x}Pb_xCa_2Sr_2Cu_3O_y$ 656
– of Bi compounds 589
– of Bi–Tl compounds 257
– of $Nd_{1.85}Ce_{0.15}CuO_4$ 415
– of $YBa_2(Cu_{1-x}Fe_x)_3O_y$ 475
– of $YBa_2Cu_3O_{7-\delta}$/Ag 91
Electrical resistivity, anisotropic
– of irradiated $YBa_2Cu_3O_{7-\delta}$ 549
Electron–hole symmetry 423
Electron–phonon coupling 325
Eliashberg equations 626
Energy gap
– in $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ 239
– in semiconductors (calculation) 59
– in $Tl_2Ba_2CaCu_2O_x$ 141
– in $YBa_2Cu_3O_{7-\delta}$ 262
ESR
– in $Gd_xY_{1-x}Ba_2Cu_3O_{6+\delta}$ 13
EXAFS
– in $YBa_2Cu_3O_{7-\delta}$/Ag 91
Excess conductivity
– of $Bi_{1.5}Pb_{0.5}Sr_2Ca_2Cu_3O_x$ 567
– of $Bi_{1.75}Pb_{0.25}Sr_2Ca_2O_x$ 567
Exchange-mediated pairing 88
Excitonic mechanism 195

Far-infrared spectra
– of $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ 239
– of Nd_2CuO_4 239
Fermi edge in XPS spectra
– of $YBa_2Cu_3O_x$ 219
Fermi liquid state, experimental evidence
– in $Nd_{1.85}Ce_{0.15}CuO_4$ 415
Fluctuation effects 555
– in $Bi_2Sr_2Ca_2Cu_3O_x$ 123
Flux creep
– in $YBa_2Cu_3O_7$ 313
Flux motion
– in $REBa_2Cu_3O_{7-\delta}$ 403
Flux pinning
– in $REBa_2Cu_3O_{7-\delta}$ 403
Formal valence 512
Frustration 527

Ginzburg–Landau theory 272, 287
– generalization 294
– second-quantized form 687
Glassy state
– of $YBa_2Cu_3O_7$ 39
Grain boundaries
– in $Pb_2Sr_2Ca_{1-x}Y_xCu_3O_{8+\delta}$ 390
– in $Pb_2Sr_{2-x}La_xCu_2O_{6+\delta}$ 390
– in $Pb_2Sr_{2-x}La_xSrCu_3O_{8+\delta}$ 390
Granular superconductivity 76, 354

Hall effect
– in $Bi_{1.5}Pb_{0.5}Sr_2Ca_2Cu_3O_x$ 567
– in $Bi_{1.75}Pb_{0.25}Sr_2Ca_2O_x$ 567
– in $Bi_2Sr_2Ca_2Cu_3O_x$ 123
– in $GdBa_2Cu_3O_x$ 447

– in $La_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ 581
Heat treatment in inert gases
– of $YBa_2Cu_3O_x$ 66
Heavy-fermion compounds
– theory 677
High pressure
– effect on T_c 412
Hole concentration, effect on T_c
– in $La_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ 581
Hole superconductivity 185
HREM
– in $Nd_{2-x}Ce_xCuO_{4-\delta}$ 331
– of $Pb_2Sr_2Ca_{1-x}Y_xCu_3O_{8+\delta}$ 390
– of $Pb_2Sr_{2-x}La_xCu_2O_{6+\delta}$ 390
– of $PB_2Sr_{2-x}La_xSrCu_3O_{8+\delta}$ 390
– of $PbBaSrYCu_3O_x$ 459
Hubbard Hamiltonian 325, 423, 517
Hybridized states 574
Hysteresis
– in $(Bi_{0.8}Pb_{0.2})_2Sr_2Ca_2Cu_3O_y$ 34
– in $YBa_2Cu_3O_{6+\delta}$ 198
Hysteresis loss
– in $YBa_2Cu_3O_{7-\delta}$ 319

Impurity effect on Andreev reflection 209
Infrared spectroscopy
– in Bi compounds 226
– theory 451
Irradiation effect
– in $ErBa_2Cu_3O_{7-\delta}$ 431
– on $YBa_2Cu_3O_{7-\delta}$ 549

Jahn–Teller effect 105
Josephson effect 354

Kinetic inductance 354
Knudsen effusion
– in $YBa_2Cu_3O_{7-\delta}$ 175
Kosterlitz–Thouless transition 136

Lattice dynamics
– of $YBa_2Cu_3O_{7-\delta}$ 345
Lattice-gas model 631
Linear coefficient
– in $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_{10}$ 626
Lower critical field H_{c1}
– of $LaAl_2$ 272, 287, 294
– of Nb 272, 287, 294
– of Ta 272, 287, 294
– of V 272, 287, 294

Mössbauer spectroscopy
– of $YBa_2Cu_3O_{7-\delta}$ 205
Magnetization curves
– of $REBa_2Cu_3O_{7-\delta}$ 403
Magnetoresistance
– of $Bi_{1.5}Pb_{0.5}Sr_2Ca_2Cu_3O_x$ 567
– of $Bi_{1.75}Pb_{0.25}Sr_2Ca_2O_x$ 567
– of $GdBa_2Cu_3O_x$ 447
Magnetostriction
– in $REBa_2Cu_3O_{7-\delta}$ 48
Magnetic superconductors 403
Magnetic susceptibility
– of $CmBa_2Cu_3O_7$ 252
– of $YBa_2(Cu_{1-x}Fe_x)_3O_y$ 475
– of $YBa_2Cu_3O_{7-\delta}/Ag$ 91
Meissner effect
– in $Bi_{1.5}Pb_{0.5}Sr_2Ca_2Cu_3O_x$ 567
– in $Bi_{1.75}Pb_{0.25}Sr_2Ca_2O_x$ 567
– in $Bi_{2.2}Sr_{1.8}CaCu_{1.2}Li_{0.8}O_x$ 561
– in $Bi_2Sr_2Ca_2Cu_3O_x$ 123
– in multiphase Bi compounds 661
– in $REBa_2Cu_3O_{7-\delta}$ 403
– in $Sn_2Ba_2Sr_{0.5}Y_{0.5}O_x$ 493
– in $Tl_2Ca_2Ba_2Cu_3O_{10}$ 302
– in $Tl_2CaBa_2Cu_2O_8$ 302
– in $Y_{1-x}Ca_xBa_{2-x}La_xCu_3O_7$ 150
Microwave absorption
– in $YBa_2Cu_3O_7$ 39
Microwave cavity perturbation 683
Modulated structure
– in $Bi_2Sr_{3-x}Ca_xCu_2O_8$ 598

Neutron diffraction
– in $La_2CuO_{4-\delta}$ and related compounds 21
– in Y_2BaCuO_5 594
Neutron scattering
– in $ErBa_2Cu_3O_x$ 671
NMR
– in $YBa_2Cu_3O_{7-\delta}$ 9
Normal-state properties
– of $Tl_2Ba_2CaCu_2O_x$ 141
NQR
– in $(Bi_{1.6}Pb_{0.4})Sr_2Ca_2Cu_3O_{10}$ 367
– in $La_{2-x}Sr_xCuO_4$ 265
– in $Tl_2Ba_2Ca_2Cu_3O_{10}$ 367

Organic superconductor 412
Oxygen desorption
– of $YBa_2Cu_3O_{7-\delta}$ 175
Oxygen diffusion
– in $La_{2-x}Sr_xCuO_4$ 83
Oxygen stiochiometry
– in $Nd_{1.4}Sr_{0.4}Ce_{0.2}CuO_{4-\delta}$ 6
Oxygen stoichiometry 512
– in Bi compounds 155, 167
– in $Nd_{2-x}Ce_xCuO_{4-\delta}$ 331
– in $YBa_2Cu_3O_{6+\delta}$ 539
– of $PbBaSrYCu_3O_x$ 459
– of $Tl_{0.5}Pb_{0.5}Ca_{0.8}Y_{0.2}Sr_2Cu_2O_y$ 523
– of $Y_2Ba_4Cu_7O_{15\pm\delta}$ 618
Oxygen vacancy
– in $ErBa_2Cu_3O_{7-\delta}$ 431

Partial melting
– in Bi compounds 155
Persistent current 195
Phase diagram
– of organic Hg compounds 412
Phase transition detection 683
Phonon mechanism
– in RVB state 517
Pinning force
– in $YBa_2Cu_3O_{7-\delta}$ 319
Point-contact spectroscopy
– in $YBa_2Cu_3O_{7-\delta}$ 262
– of $Tl_2Ba_2CaCu_2O_x$ 141
Proximity effect 195

Raman scattering
– in $La_{2-x}Sr_xCuO_4$ 83
Resistive transition in magnetic field 313
Retarded interaction 105
RKKY interaction
– in heavy-fermion systems 677
RVB model 517

Scanning electron microscopy
– of Bi compounds 71
– of $YBa_2Cu_3O_x$ 66
Second harmonic generation (microwave)
– in $YBa_2Cu_3O_7$ 39
SEM
– in $YBa_2Cu_3O_{6+\delta}$ 198
– of Bi compounds 145
Single-crystal growth
– of Bi compounds 155
– of $Tl_2Ba_2Ca_2Cu_3O_{10}$ 483
– of $YBa_2Cu_3O_7$ 313
– under unaxial pressure 1
Small polarons 574
Sound velocity
– in $(Bi_{0.8}Pb_{0.2})_2Sr_2Ca_2Cu_3O_y$ 34
Specific heat at high T
– in Bi compounds 226
Specific heat at T_c
– in $Bi_2Sr_2Ca_2Cu_3O_x$ 123
– of $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_{10}$ 626
– theory 555
Spin–lattice relaxation time T_1
– in $La_{2-x}Sr_xCuO_4$ 265
– in $YBa_2Cu_3O_{7-\delta}$ 9
Spinons 517
Spin–spin relaxation time T_2
– in $La_{2-x}Sr_xCuO_4$ 265
Strong coupling 185
Structural phase transition
– in $(Bi_{0.8}Pb_{0.2})_2Sr_2Ca_2Cu_3O_y$ 34
– in Bi compounds 226
– in $Nd_{1.4}Sr_{0.4}Ce_{0.2}CuO_{4-\delta}$ 6
– in $YBa_2Cu_3O_{6+\delta}$ 539

Structural relations 512
Structure
– of $Bi_2Sr_2Ca_2Cu_3O_{10+\delta}$ 111
– of $Bi_2Sr_{3-x}Ca_xCu_2O_8$ 598
– of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$ 373
– of $BiSr_4Ca_2Cu_4O_x$ 589
– of Bi–Tl compounds 257
– of $CmBa_2Cu_3O_7$ 252
– of Cu oxides 512
– of $La_{1.1}Ba_{1.9}Cu_{2.1}Nb_{0.9}O_8$ 245
– of $La_{1.1}Ba_{1.9}Cu_{2.1}Ta_{0.9}O_8$ 245
– of $La_2CuO_{4-\delta}$ and related compounds 21
– of $Nd_{1.4}Sr_{0.4}Ce_{0.2}CuO_{4-\delta}$ 6
– of $PbBaSrYCu_3O_x$ 459
– of $Tl_{0.5}Pb_{0.5}Ca_{0.8}Y_{0.2}Sr_2Cu_2O_y$ 523
– of $Tl_2Ba_2Ca_2Cu_3O_{10}$ 483
– of $Tl_2Ca_2Ba_2Cu_3O_{10}$ 302
– of $Tl_2CaBa_2Cu_2O_8$ 302
– of $TlBaCa_3Cu_3O_x$ 181
– of $TlBaCa_3O_x$ 181
– of $Y_{1-x}Ca_xBa_{2-x}La_xCu_3O_7$ 150
– of $Y_2Ba_4Cu_7O_{15\pm\delta}$ 618
– of Y_2BaCuO_5 594
– of $YBa_2Cu_3O_{7-\delta}/Ag$ 91
– of $YBa_2Cu_3O_x$ 66
Substitution effects due to alkaline metals
– in $Bi_2Sr_2CaCu_2O_x$ 561
Substitution effects due to Ce
– in $La_2CuO_{4-\delta}$ 21
– in Nd_2CuO_4 239
– in $Nd_2CuO_{4-\delta}$ 21
– in $Pr_2CuO_{4-\delta}$ 21
Substitution effects due to Ga
– in $YBa_2Cu_3O_{7-\delta}$ 9
Substitution effects due to Gd
– in $Gd_xY_{1-x}Ba_2Cu_3O_{6+\delta}$ 13
Substitution effects due to La on Ba sites
– in $LaBa_2Cu_3O_{7-\delta}$ 581
Substitution effects due to Mn
– in $TlBaCa_3Cu_3O_x$ 181
– in $TlBaCa_3O_x$ 181
Substitution effects due to Nb
– in $YBa_2Cu_3O_{7-\delta}$ 245
Substitution effects due to Pb
– in Bi compounds 661
Substitution effects due to Pr
– theory 574
Substitution effects due to Sr and Pr
– in $La_2CuO_{4-\delta}$ 21
Substitution effects due to Ta
– in $YBa_2Cu_3O_{7-\delta}$ 245
Substitution effects due to Zn
– in $YBa_2Cu_3O_{7-\delta}$ 9
Substrate interaction 175
Surface plasmons 354
S-wave pairing
– in $YBa_2Cu_3O_7$ 195
Synthesis
– of $Bi_{1.7}Pb_{0.3}Ca_2Sr_2Cu_3O_y$ 656
– of $Bi_2Sr_2Ca_2Cu_3O_{10+\delta}$ 111
– of $Bi_2Sr_2CaCu_2O_x$ 561
– of Bi–Tl compounds 257
– of $CmBa_2Cu_3O_7$ 252
– of microcomposites 71
– of $Tl_{0.5}Pb_{0.5}Ca_{0.8}Y_{0.2}Sr_2Cu_2O_y$ 523
– of $Tl_2Ca_2Ba_2Cu_3O_{10}$ 302
– of $Tl_2CaBa_2Cu_2O_8$ 302

Texture
– in $YBa_2Cu_3O_{6+\delta}$ 198
Thermal decomposition
– of $YBa_2Cu_3O_{7-\delta}$ 175
Thermal expansion
– in $Bi_2Sr_2Ca_2Cu_3O_x$ 123
– in $REBa_2Cu_3O_{7-\delta}$ 48
Thermodynamic properties
– of $YBa_2Cu_3O_{6+\delta}$ 539
Thick films 347
Thin films 354, 468
– of Bi compounds 661
– of $ErBa_2Cu_3O_{7-\delta}$ 431
Thin films, liquid-etched
– of $YBa_2Cu_3O_7$ 351
Thin films, single-crystalline
– of $GdBa_2Cu_3O_x$ 447
Tunneling 351
Twin boundaries
– in $YBa_2Cu_3O_{7-\delta}$ 345
Two-dimensional magnetism 527
Type-II superconductors 272, 287, 294

Ultrasound attenuation
– in Bi compounds 226
Ultrasound velocity
– in Bi compounds 226
– in $YBa_2Cu_3O_{7-\delta}$ 345
Untwinned single crystals
– of $YBa_2Cu_3O_{7-\delta}$ 1
Upper critical field H_{c2}
– in $YBa_2Cu_3O_{7-\delta}$ 1
– theory 687

Valence-transition mechanism 423
Vortex phase 136

Weak links
– detection 76
– in $YBa_2Cu_3O_7$ 39
Weak localisation 475

XPS
– in $ErBa_2Cu_3O_{7-\delta}$ 431
– of Bi compounds 145
– of $YBa_2Cu_3O_6$ 219
– of $YBa_2Cu_3O_{6.9}$ 219

MATERIALS INDEX TO VOLUME 161

$(Bi_{0.8}Pb_{0.2})_2Sr_2Ca_2Cu_3O_y$
– hysteresis 34
– sound velocity 34
– structural phase transition 34
$Bi_{1.5}Pb_{0.5}Sr_2Ca_2Cu_3O_x$
– electrical resistance 567
– excess conductivity 567
– Hall effect 567
– magnetoresistance 567
– Meissner effect 567
$Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_{10}$
– linear coefficient 626
– NQR 367
– specific heat at T_c 626
$Bi_{1.75}Pb_{0.25}Sr_2Ca_2O_x$
– electrical resistance 567
– excess conductivity 567
– Hall effect 567
– magnetoresistance 567
– Meissner effect 567
$Bi_{1.7}Pb_{0.3}Ca_2Sr_2Cu_3O_y$
– synthesis 656
$Bi_{2.2}Sr_{1.8}CaCu_{1.2}Li_{0.8}O_x$
– Meissner effect 561
$Bi_2Sr_2Ca_2Cu_3O_{10+\delta}$
– AC susceptibility 111
– electrical resistivity 111
– structure 111
– synthesis 111
$Bi_2Sr_2Ca_2Cu_3O_x$
– fluctuation effects 123
– Hall effect 123
– Meissner effect 123
– specific heat at T_c 123
– thermal expansion 123
$Bi_2Sr_2CaCu_2O_x$
– substitution effects due to alkaline metals 561
– synthesis 561
$Bi_2Sr_2CuO_6$
– band structure 497
$Bi_2Sr_{3-x}Ca_xCu_2O_8$
– modulated structure 598
– structure 598
$Bi_{2-x}Pb_xCa_2Sr_2Cu_3O_y$
– critical current density 656
– electrical resistivity 656
$(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$
– annealing effect 373
– crystal structure 373
– structure 373
$BiSr_4Ca_2Cu_4O_x$
– structure 589

$CmBa_2Cu_3O_7$
– antiferromagnetic order 252
– magnetic susceptibility 252
– structure 252
– synthesis 252
Cu–O
– band structure 451

$ErBa_2Cu_3O_{7-\delta}$
– irradiation effect 431
– oxygen vacancy 431
– thin films 431
– XPS 431
$ErBa_2Cu_3O_x$
– crystal-field effects 671
– neutron scattering 671

$GdBa_2Cu_3O_x$
– antiferromagnetic order 447
– Hall effect 447
– magnetoresistance 447
– thin films, single-crystalline 447
$Gd_xY_{1-x}Ba_2Cu_3O_{6+\delta}$
– antiferromagnetic fluctuations 13
– crystal field 13
– ESR 13
– substitution effects due to Gd 13

$La_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$
– Hall effect 581
– hole concentration, effect on T_c 581
$La_{1.1}Ba_{1.9}Cu_{2.1}Nb_{0.9}O_8$
– structure 245
$La_{1.1}Ba_{1.9}Cu_{2.1}Ta_{0.9}O_8$
– structure 245
$La_{1.5}Sr_{0.5}NiO_4$
– band structure 503
La_2CuO_4
– antiferromagnetic order 59
– band structure 59
$La_2CuO_{4-\delta}$
– neutron diffraction 21
– structure 21
– substitution effects due to Ce 21
– substitution effects due to Sr and Pr 21
La_2NiO_4
– antiferromagnetic order 503
– band structure 503
$La_{2-x}Sr_xCuO_4$
– antiferromagnetic order 265
– band structure 607
– Cu–O planes 88
– NQR 265
– oxygen diffusion 83
– Raman scattering 83
– spin–lattice relaxation time $^{T}_{1}$ 265
– spin–spin relaxation time $^{T}_{2}$ 265
$LaAl_2$
– lower critical field $^{H}_{c1}$ 272, 287, 294
$LaBa_2Cu_3O_{7-\delta}$
– substitution effects due to La on Ba sites 581

$Nd_{1.4}Sr_{0.4}Ce_{0.2}CuO_{4-\delta}$
– oxygen stiochiometry 6
– structural phase transition 6
– structure 6
$Nd_{1.85}Ce_{0.15}CuO_4$
– electrical resistivity 415
– Fermi liquid state, experimental evidence 415
$Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$
– BCS model, applicability 239
– energy gap 239
– far-infrared spectra 239
Nd_2CuO_4
– far-infrared spectra 239
– substitution effects due to Ce 239
$Nd_2CuO_{4-\delta}$
– substitution effects due to Ce 21
$Nd_{2-x}Ce_xCuO_{4-\delta}$
– defect structures 331
– HREM 331
– oxygen stoichiometry 331

$Pb_2Sr_2Ca_{1-x}Y_xCu_3O_{8+\delta}$
– grain boundaries 390
– HREM 390
$Pb_2Sr_{2-x}La_xCu_2O_{6+\delta}$
– grain boundaries 390
– HREM 390
$Pb_2Sr_{2-x}La_xSrCu_3O_{8+\delta}$
– grain boundaries 390

- HREM 390

$PbBaSrYCu_3O_x$
- HREM 459
- oxygen stoichiometry 459
- structure 459

$Pr_2CuO_{4-\delta}$
- substitution effects due to Ce 21

$REBa_2Cu_3O_{7-\delta}$
- anharmonicity 48
- flux motion 403
- flux pinning 403
- magnetization curves 403
- magnetostriction 48
- Meissner effect 403
- thermal expansion 48

$REBa_2Cu_3O_x$
- charge redistribution 671

$Sn_2Ba_2Sr_{0.5}Y_{0.5}O_x$
- Meissner effect 493

$Tl_{0.5}Pb_{0.5}Ca_{0.8}Y_{0.2}Sr_2Cu_2O_y$
- oxygen stoichiometry 523
- structure 523
- synthesis 523

$Tl_2Ba_2Ca_2Cu_3O_{10}$
- NQR 367
- single-crystal growth 483
- structure 483

$Tl_2Ba_2CaCu_2O_x$
- energy gap 141
- normal-state properties 141
- point-contact spectroscopy 141

$Tl_2Ba_2CuO_6$
- band structure 497

$Tl_2Ca_2Ba_2Cu_3O_{10}$
- Meissner effect 302
- structure 302
- synthesis 302

$Tl_2CaBa_2Cu_2O_8$
- Meissner effect 302
- structure 302
- synthesis 302

$TlBaCa_3Cu_3O_x$
- structure 181
- substitution effects due to Mn 181

$TlBaCa_3O_x$
- structure 181
- substitution effects due to Mn 181

$Y_{1-x}Ca_xBa_{2-x}La_xCu_3O_7$
- Meissner effect 150
- structure 150

$Y_2Ba_4Cu_7O_{15\pm\delta}$
- oxygen stoichiometry 618
- structure 618

Y_2BaCuO_5
- neutron diffraction 594
- structure 594

$YBa_2(Cu_{1-x}Fe_x)_3O_y$
- electrical resistivity 475
- magnetic susceptibility 475

$YBa_2Cu_3O_6$
- XPS 219

$YBa_2Cu_3O_{6+\delta}$
- hysteresis 198
- oxygen stoichiometry 539
- SEM 198
- structural phase transition 539
- texture 198
- thermodynamic properties 539

$YBa_2Cu_3O_{6.9}$
- XPS 219

$YBa_2Cu_3O_7$
- flux creep 313
- glassy state 39
- microwave absorption 39
- second harmonic generation (microwave) 39
- single-crystal growth 313
- s-wave pairing 195
- thin films, liquid-etched 351
- weak links 39

$YBa_2Cu_3O_{7-\delta}$
- AC susceptibility 319
- Andreev reflection 262
- anisotropy, elastic 345
- antiferromagnetic fluctuations 9
- band structure 607
- Cu–O chains 205
- elastic constants 345
- electrical resistivity, anisotropic 549
- energy gap 262
- hysteresis loss 319
- irradiation effect 549
- Knudsen effusion 175
- lattice dynamics 345
- Mössbauer spectroscopy 205
- NMR 9
- oxygen desorption 175
- pinning force 319
- point-contact spectroscopy 262
- spin–lattice relaxation time 9
- substitution effects due to Ga 9
- substitution effects due to Nb 245
- substitution effects due to Ta 245
- substitution effects due to Zn 9
- thermal decomposition 175
- twin boundaries 345
- ultrasound velocity 345
- untwinned single crystals 1
- upper critical field H_{c2} 1

$YBa_2Cu_3O_{7-\delta}/Ag$
- electrical resistivity 91
- EXAFS 91
- magnetic susceptibility 91
- structure 91

$YBa_2Cu_3O_x$
- Cu–O chains 219
- Cu–O planes 219
- Fermi edge in XPS spectra 219
- heat treatment in inert gases 66
- scanning electron microscopy 66
- structure 66

Y–Ba–Cu–O
- critical current density 347